

# IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

1. (Currently Amended) A portable terminal comprising:  
 a display unit for displaying a screen;  
 an operation member for being operated by a user;  
 a first light for lighting up the display unit;  
 a second light for lighting up the operation member;  
 a light sensor for detecting ~~external~~ brightness of light external to the portable terminal;  
 a light control unit for turning on the first light, as well as turning on the second light according to ~~external~~ the brightness of the external light detected by the light sensor, in response to occurrence of a predetermined first event;  
 a light emitter for generating a light indicating occurrence of a predetermined second event ~~by lighting up or winking~~;  
 wherein the light sensor and the light emitter are arranged in proximity to each other; and  
 a window having a light transmitting member which covers ~~and is used for~~ both the light sensor and the light emitter, allows the external light to pass from the external of the portable terminal to the light sensor, and allows light generated by the light emitter to pass from the light emitter to the external of the portable terminal.

2. (Currently Amended) The portable terminal according to claim 1 ~~further comprising,~~  
~~instead of the light control unit, a~~ wherein the light control unit ~~for turning~~ turns on the first light according to ~~external~~ brightness of the external light detected by the light sensor ~~as well as~~  
 turning and turns on the second light according to ~~external~~ brightness of the external light detected by the light sensor in response to occurrence of a predetermined first event.

3. (Canceled)

4. (Canceled)

5. (Cancelled)

6. (Cancelled)

7. (Original) The portable terminal according to claim 1 wherein the light control unit accepts operation of the operation member as the first event.

8. (Original) The portable terminal according to claim 2 wherein the light control unit accepts operation of the operation member as the first event.

9. (Original) The portable terminal according to claim 1 wherein the light emitter accepts an arrival of a call as the second event.

10. (Original) The portable terminal according to claim 2 wherein the light emitter accepts an arrival of a call as the second event.

11. (Currently Amended) A portable terminal comprising:  
a display unit for displaying a screen;  
an operation member for being operated by a user;  
a first light for lighting up the display unit;  
a second light for lighting up the operation member;  
a light sensor for detecting ~~external~~ brightness of light external to the portable terminal;  
a light control unit for turning on the first light, as well as turning on the second light according to ~~external~~ the brightness of the external light detected by the light sensor, in response to occurrence of a predetermined first event; and  
a light emitter, separate from the first and second lights, for generating a light indicating occurrence of a predetermined second event ~~by lighting up or winking~~;  
wherein the light sensor and the light emitter are arranged in proximity to each other; and  
a window having a light transmitting member which covers ~~and is used for~~ both the light sensor and the light emitter, allows the external light to pass from the external of the portable terminal to the light sensor, and allows light generated by the light emitter to pass from the light emitter to the external of the portable terminal.

12. (Currently Amended) A portable terminal comprising:  
a display unit for displaying a screen;  
an operation member for being operated by a user;  
a first light for lighting up the display unit;  
a second light for lighting up the operation member;

a light sensor for detecting ~~external~~ brightness of light external to the portable terminal;

a light control unit for turning on the first light, as well as turning on the second light according to ~~external~~ the brightness of the external light detected by the light sensor, in response to occurrence of a predetermined first event;

a light emitter for generating a light indicating occurrence of a predetermined second event ~~by lighting up or winking~~;

wherein the light sensor and the light emitter are arranged in proximity to each other; and

a window having a light transmitting member which covers ~~and is used for~~ both the light sensor and the light emitter, allows the external light to pass from the external of the portable terminal to the light sensor, and allows light generated by the light emitter to pass from the light emitter to the external of the portable terminal; and

the window being separate from the display unit.